LA HABRA HEIGHTS COUNTY WATER DISTRICT 2022 CONSUMER CONFIDENCE REPORT

Since 1991, California water utilities have been providing information on water served to its consumers. This report, prepared May 2023, is a snapshot of the tap water quality that we provided last year. Included are details about where your water comes from, how it is tested, what is in it, and how it compares with state and federal limits. We strive to keep you informed about the quality of your water, and to provide a reliable and economic supply that meets all regulatory requirements.



<u>Where</u> Does My Tap Water Come From?

Your tap water comes from 2 sources: groundwater and surface water. We pump groundwater from local, deep wells in the Central

Basin. We also use Metropolitan Water District of Southern California's (MWD) surface water from both the Colorado River and the State Water Project in northern California. These water sources, located on the adjacent map, supply our service area. The quality of our groundwater and MWD's surface water supplies is presented in this report.

How is My Drinking Water Tested?

Your drinking water is tested regularly for unsafe levels of chemicals, radioactivity and bacteria at the source and in the distribution system. We test weekly, monthly, quarterly, annually or less often depending on the substance. State and federal laws allow us to test some substances less than once per year because their levels do not change frequently. All water quality tests are conducted by specially trained technicians in state-certified laboratories.

What Are Drinking Water Standards?

The U.S Environmental Protection Agency (USEPA) limits the amount of certain substances allowed in tap water. In California, the State Water Resources Control Board (State Water Board) regulates tap water quality by enforcing limits that are at least as stringent as the Federal EPA's. Historically, California limits are more stringent than the Federal ones.

There are two types of these limits, known as standards. Primary standards protect you from substances that could potentially affect your health. Secondary standards regulate substances that affect the aesthetic qualities of water. Regulations set a Maximum Contaminant Level (MCL) for each of the primary and secondary standards. The MCL is the highest level of a substance that is allowed in your drinking water.

Public Health Goals (PHGs) are set by the California Environmental Protection Agency. PHGs provide more information on the quality of drinking water to customers, and are similar to their federal counterparts, Maximum Contaminant Level Goals (MCLGs). PHGs and MCLGs are advisory levels that are nonenforceable. Both PHGs and MCLGs are concentrations of a substance below which there are no known or expected health risks.

How Do I Read the Water Quality Table?

Although we test for over 100 substances, regulations require us to report only those found in your water. The first column of the water quality table lists substances detected in your water. The next columns list the average concentration and range of concentrations found in your drinking water. Following are columns that list the MCL and PHG or MCLG, if appropriate. The last column describes the likely sources of these substances in drinking water.

To review the quality of your drinking water, compare the highest concentration and the MCL. Check for substances greater than the MCL. Exceedence of a primary MCL does not usually constitute an immediate health threat. Rather, it requires testing the source water more frequently for a short duration. If test results show that the water continues to exceed the MCL, the water must be treated to remove the substance, or the source must be removed from service.

Why Do I See So Much Coverage in the News About the Quality Of Tap Water?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, including viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife;
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming;
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems;
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U. S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board (State Water Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Water Board regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). You can also get more information on tap water by logging on to these helpful web sites:

- <u>https://www.epa.gov/ground-water-and-drinking-water/safe-drinking-water-information</u> (USEPA's web site)
- <u>http://www.waterboards.ca.gov/drinking_water/certl</u> <u>ic/drinkingwater/NotificationLevels.shtml</u> (State Board web site)

If present, elevated levels of lead can cause serious health problem, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with services lines and home plumbing. La Habra Heights County Water is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <u>http://www.epa.gov/safewater/lead</u>.

Should I Take Additional Precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The USEPA/Centers for Disease Control guidelines on appropriate means to lessen the risk of infection of *Cryptosporidium* and other microbial contaminants are available from the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Source Water Assessment

MWD completed an assessment of its Colorado River and State Water Project supplies in 2002. Colorado River supplies are considered most vulnerable to recreation, urban/storm water runoff, increasing urbanization in the watershed, and wastewater. State Water Project supplies are considered most vulnerable to urban/storm water runoff, wildlife, agriculture, recreation and wastewater. A copy of the assessment can be obtained by contacting MWD at (213) 217-6850.

The La Habra Heights County Water District conducted an assessment of its groundwater supplies in 2003. Groundwater supplies are considered most vulnerable to surface water recreational areas, chemical/petroleum pipelines, and other animal operations. A copy of the approved assessment may be obtained by contacting Michael Gualtieri at (562) 697-6769.

How Can I Participate in Decisions On Water Issues That Affect Me?

The public is welcome to attend Board of Directors meetings on the fourth Tuesday of each month at 4:00 p.m. at the District Office, 1271 North Hacienda Road, La Habra Heights, CA 90631.

How Do I Contact My Water Agency If I Have Any Questions About Water Quality?

If you have specific questions about your water quality, please contact Michael Gualtieri at (562) 697-6769.

Some Helpful Water Conservation Tips

- Fix leaky faucets in your home save up to 20 gallons every day for every leak stopped
- Save between 15 and 50 gallons each time by only washing full loads of laundry
- Adjust your sprinklers so that water lands on your lawn/garden, not the sidewalk/driveway – save 500 gallons per month
- Use organic mulch around plants to reduce evaporation

 save hundreds of gallons a year
- Never let the water run while brushing your teeth or shaving. save 35 gallons a week per person
- Visit <u>http://www.epa.gov/watersense</u> for more information.

Visit us at: WWW.LHHCWD.COM

LA HABRA HEIGHTS COUNTY WATER DISTRICT 2022 CONSUMER CONFIDENCE REPORT

Results are from the most recent testing performed in accordance with state and federal drinking water regulations

ORGANIC				JRCE-MAND		-			
		GROUNDWATER		MWD'S SURFACE WATER		PRIMARY	MCLG	MAJOR SOURCES IN DRINKING WATER	
CHEMICALS (µg/l)		AVERAGE	RANGE	AVERAGE	RANGE	MCL	or PHG		
		(a)	(a)	(a)	(a)	(a)	(a)		
ORGANICS S	Sampled from 2020	to 2022 (b)							
	1							Erosion of natural deposits; residue from surface water treatment processes. Some peo	
luminum (mg/l)	(k)	0.010	ND - 0.057	0.15	0.06 - 0.24	1	0.6 (c)	who drink water containing aluminum in excess of the MCL over many years may experience short-term gastrointestinal tract effects.	
rsenic (µg/l)	(I)	3.2	2.4 - 3.8	ND	ND	10	0.004 (c)	Erosion of natural deposits; glass/electronics production wastes; runoff	
arium (mg/l)		0.02	0.05 - 0.07	0.11	0.11	1	2 (c)	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits	
uoride (mg/l)	(I)	0.2	0.2 - 0.3	0.7	0.4 - 0.9	2.0	1 (c)	Erosion of natural deposits, water additive that promotes strong teeth	
itrate (mg/l as N)	(I)	3.5	3.0 - 4.7	ND	ND	10	10 (c)	Runoff and leaching from fertilizer use / septic tanks / sewage, natural erosion	
ADIOLOGICAL - (pCi/l)	(Sampled from 201	10 to 2022 (b)						1	
ross Alpha		0.8	ND - 1.8	ND	ND - 3.0	15	0	Erosion of natural deposits	
ross Beta		NA	NA	6	ND - 9	50	0	Decay of natural and man-made deposits	
adium 226		ND	ND	ND	ND		0.05	Erosion of natural deposits	
adium 228		1.9	ND - 7.7	ND	ND - 1.0	5 (h)	0.019	Erosion of natural deposits	
ranium		2.1	0.83 - 3.6	2	1.0 - 3.0	20	0.5 (c)	Erosion of natural deposits	
		-	-			-	• • • •		
RIMARY STAN	IDARDS MOI	NITORED IN	N THE DIS	TRIBUTION	N SYSTEM ·	- MANDATE) FOR PU	BLIC HEALTH	
				TION SYSTEM		PRIMARY	MCLG		
CROBIALS			# POSITIVE		# POSITIVE	MCL	or PHG		
otal Coliform Bacteria			0 0.0			> 1 positive	0	Naturally present in the environment	
ecal Coliform and <i>E.Coli</i> No. of Acute Violatio).0).0	0.0		0	0	Human and animal fecal waste	
No. of Acute Molatic	0113			0	.0	-	-		
ISINFECTION BY-PROD	DUCTS (d)		DISTRIBU	TION SYSTEM		PRIMARY	MCLG]	
	AND DISINFECTION RESIDUALS		AVERAGE		RANGE				
Trihalomethanes-TTHMS (µg/l)		AVE			-	MCL	or PHG		
		44	4.9	7.8 -	44.9	80	or PHG -	By-product of drinking water chlorination	
aloacetic Acids (µg/l)	(µg/l)	44	4.9 2.7	7.8 - 1.0	- 44.9 - 1.5	80 60	-	By-product of drinking water disinfection	
aloacetic Acids (µg/l)	(µg/l)	44	4.9	7.8 - 1.0	44.9	80	or PHG - - 4.0 (f)		
aloacetic Acids (µg/l) otal Chlorine Residual (m	(µg/l)	44	4.9 2.7 .4	7.8 - 1.0 1.1	- 44.9 - 1.5	80 60 4.0 (e)	- 4.0 (f)	By-product of drinking water disinfection	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP	(µg/l) ng/l)	4	4.9 2.7 .4 DISTRIBU	7.8 - 1.0 1.1 TION SYSTEM	- 44.9 - 1.5 - 2.0	80 60	-	By-product of drinking water disinfection	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN	(µg/l) ng/l) NTS	4	4.9 2.7 .4	7.8 - 1.0 1.1 TION SYSTEM	- 44.9 - 1.5	80 60 4.0 (e) PRIMARY	- - 4.0 (f) MCLG	By-product of drinking water disinfection	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021	(µg/l) ng/l) NTS	4 2 1	4.9 2.7 .4 DISTRIBU %ile	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A	- 44.9 - 1.5 - 2.0	80 60 4.0 (e) PRIMARY MCL	- 4.0 (f) MCLG or PHG	By-product of drinking water disinfection Drinking water disinfectant added for treatment	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/l)	(µg/l) ng/l) NTS	4 2 1 90 0.5	4.9 2.7 .4 DISTRIBU	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A	44.9 - 1.5 - 2.0 BOVE THE AL	80 60 4.0 (e) PRIMARY	- - 4.0 (f) MCLG	By-product of drinking water disinfection	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/l) ead (µg/l) (j)	(μg/I) ng/I) NTS I	4 2 1 90 0.5 NE	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g)	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A	44.9 - 1.5 - 2.0 BOVE THE AL	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c)	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/l) ead (µg/l) (j)	(µg/I) ng/I) NTS I	44 2 1 90 0.5 NE	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g)	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A	44.9 - 1.5 - 2.0 BOVE THE AL	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c)	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/l) ead (µg/l) (j)	(µg/I) ng/I) NTS I	44 2 1 90 0.5 NE	4.9 .7 .4 DISTRIBU %ile 5 (g) 0 (g) D AT THE	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c)	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN I sites sampled in 2021 opper (mg/l) ead (µg/l) (j) ECONDARY ST ampled in 2020 - 2022 (b	(μg/l) ng/l) NTS I TANDARDS (44 2 1 90 0.5 NE MONITOREL GROUN	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g) DAT THE DWATER RANGE 11.4 - 12.3	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A () () () () () () () () () ()	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE FACE WATER	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN I sites sampled in 2021 opper (mg/l) ead (µg/l) (j) SECONDARY ST ampled in 2020 - 2022 (b ggressiveness Index (con	(μg/l) ng/l) NTS I TANDARDS (4/ 2 90' 0.5 MONITOREL GROUN AVERAGE 11.9 9.5	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g) DAT THE DWATER RANGE 11.4 - 12.3 ND - 57	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A () () () () () () () () () ()	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE FACE WATER RANGE 12.4 - 12.5 58 - 240	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges.	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/l) ead (µg/l) (j) SECONDARY ST ampled in 2020 - 2022 (b ggressiveness Index (con luminum (µg/l) (k)	(μg/l) ng/l) NTS I TANDARDS (4 2 1 90 0.5 NE 0.5 NE 0.5 NE 0.5 NE 0.5 NE 0.5 NE 0.5 NE 0.5 NE 0.5 NE 0.5 NE	4.9 .7 .4 DISTRIBL %ile 5 (g) 0 (g) DAT THE DWATER RANGE 11.4 - 12.3 ND - 57 100 - 110	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A () () () () () () () () () ()	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 0 DR AESTHE FACE WATER RANGE 12.4 - 12.5	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200 500	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG or PHG -	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges.	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/l) ead (µg/l) (j) SECONDARY ST ampled in 2020 - 2022 (b ggressiveness Index (con luminum (µg/l) (k) hloride (mg/l)	(μg/l) ng/l) NTS I TANDARDS (44 2 90 0.5 NE MONITOREL GROUN AVERAGE 11.9 9.5 107.5 1	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g) DAT THE DWATER RANGE 11.4 - 12.3 ND - 57 100 - 110 ND - 4.0	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A () () SOURCE - FC MWD'S SURF AVERAGE 12.5 148 101.5 1	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE ACE WATER RANGE 12.4 - 12.5 58 - 240 98 - 105 1	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200 500 15	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG or PHG -	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges.	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/l) ead (µg/l) (j) SECONDARY ST ampled in 2020 - 2022 (b ggressiveness Index (con luminum (µg/l) (k) chloride (mg/l) olor (color units) on (µg/l)	(μg/l) ng/l) NTS I TANDARDS (44 2 90 0.5 NC MONITOREL GROUN AVERAGE 11.9 9.5 107.5 107.5 1 26.7	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g) AT THE DWATER RANGE 11.4 - 12.3 ND - 57 100 - 110 ND - 4.0 ND - 80	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A () () SOURCE-FC MWD'S SURF AVERAGE 12.5 148 101.5 1 ND	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE ACE WATER RANGE 12.4 - 12.5 58 - 240 98 - 105 1 ND	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200 500 15 300	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG or PHG -	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges. Natural/industrially-influenced balance of hydrogen/carbon/oxygen in water Erosion of natural deposits, surface water treatment process residue Runoff/leaching from natural deposits, seawater influence Naturally-occurring organic materials Leaching from natural deposits; industrial waste	
Ialoacetic Acids (μg/l) iotal Chlorine Residual (m In THE TAP PHYSICAL CONSTITUEN 1 sites sampled in 2021 Copper (mg/l) ead (μg/l) (j) SECONDARY ST Gampled in 2020 - 2022 (b Aggressiveness Index (conduminum (μg/l) Aluminum (μg/l) Color (color units) ion (ug/l) Manganese (μg/l)	(μg/l) ng/l) NTS I FANDARDS (b) Prrosivity)	44 2 90 0.5 NE MONITOREL GROUN AVERAGE 11.9 9.5 107.5 1 107.5 1 26.7 ND	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g) DAT THE DWATER RANGE 11.4 - 12.3 ND - 57 100 - 110 ND - 4.0 ND - 80 ND	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A () SOURCE-FC MWD'S SURF AVERAGE 12.5 148 101.5 1 ND ND ND	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE FACE WATER RANGE 12.4 - 12.5 58 - 240 98 - 105 1 ND ND	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200 500 15	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG or PHG -	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges. Natural/industrially-influenced balance of hydrogen/carbon/oxygen in water Erosion of natural deposits, surface water treatment process residue Runoff/leaching from natural deposits, seawater influence Naturally-occurring organic materials Leaching from natural deposits; industrial waste Leaching from natural deposits	
aloacetic Acids (µg/I) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 opper (mg/I) ead (µg/I) (j) 5ECONDARY ST ampled in 2020 - 2022 (b ggressiveness Index (col luminum (µg/I) (k) hloride (mg/I) olor (color units) on (ug/I) langanese (µg/I) odor (threshold odor num	(μg/l) ng/l) NTS I FANDARDS (b) p) prrosivity) ber)	44 2 90 0.5 NC MONITOREL GROUN AVERAGE 11.9 9.5 107.5 107.5 1 26.7	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g) AT THE DWATER RANGE 11.4 - 12.3 ND - 57 100 - 110 ND - 4.0 ND - 80	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A # OF SITES A () () () () () () () () () ()	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE FACE WATER RANGE 12.4 - 12.5 58 - 240 98 - 105 1 ND ND 3	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200 500 15 300	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG or PHG -	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges. Natural/industrially-influenced balance of hydrogen/carbon/oxygen in water Erosion of natural deposits, surface water treatment process residue Runoff/leaching from natural deposits; industrial waste Leaching from natural deposits; industrial waste Leaching from natural deposits Naturally-occurring organic materials Leaching from natural deposits Naturally-occurring organic materials Leaching from natural deposits Naturally-occurring organic materials	
aloacetic Acids (µg/l) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 copper (mg/l) ead (µg/l) (j) SECONDARY ST ampled in 2020 - 2022 (b ggressiveness Index (con luminum (µg/l) (k) chloride (mg/l) color (color units) on (µg/l)	(μg/l) ng/l) NTS I FANDARDS (b) p) prrosivity) ber)	44 2 90 0.5 NE MONITOREL GROUN AVERAGE 11.9 9.5 107.5 1 107.5 1 26.7 ND	4.9 2.7 .4 DISTRIBU %ile 5 (g) 0 (g) DAT THE DWATER RANGE 11.4 - 12.3 ND - 57 100 - 110 ND - 4.0 ND - 80 ND	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A () SOURCE-FC MWD'S SURF AVERAGE 12.5 148 101.5 1 ND ND ND	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE FACE WATER RANGE 12.4 - 12.5 58 - 240 98 - 105 1 ND ND	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200 500 15 300 50	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG or PHG -	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges. Natural/industrially-influenced balance of hydrogen/carbon/oxygen in water Erosion of natural deposits, surface water treatment process residue Runoff/leaching from natural deposits, seawater influence Naturally-occurring organic materials Leaching from natural deposits; industrial waste Leaching from natural deposits	
aloacetic Acids (µg/I) otal Chlorine Residual (m T THE TAP HYSICAL CONSTITUEN 1 sites sampled in 2021 copper (mg/I) ead (µg/I) (j) SECONDARY ST ampled in 2020 - 2022 (b ggressiveness Index (col luminum (µg/I) (k) chloride (mg/I) color (color units) on (ug/I) fanganese (µg/I) odor (threshold odor num	(μg/l) ng/l) NTS I FANDARDS (b) p) prrosivity) ber)	44 2 1 90' 0.5 NE MONITOREL GROUN AVERAGE 11.9 9.5 107.5 1 26.7 ND ND	4.9 .7 .4 DISTRIBU %ile 5 (g) 0 (g) DAT THE DWATER RANGE 11.4 - 12.3 ND - 57 100 - 110 ND - 4.0 ND - 80 ND ND ND	7.8 - 1.0 1.1 TION SYSTEM # OF SITES A # OF SITES A () () () () () () () () () ()	44.9 - 1.5 - 2.0 BOVE THE AL 0 0 DR AESTHE FACE WATER RANGE 12.4 - 12.5 58 - 240 98 - 105 1 ND ND 3	80 60 4.0 (e) PRIMARY MCL 1.3 AL 15 AL TIC PURPOSE SECONDARY MCL Non-corrosive 200 500 15 300 50 3	- 4.0 (f) MCLG or PHG 0.3 (c) 0.2 (c) S MCLG or PHG -	By-product of drinking water disinfection Drinking water disinfectant added for treatment Internal corrosion of household plumbing, erosion of natural deposits Internal corrosion of household plumbing, industrial manufacturer discharges. Natural/industrially-influenced balance of hydrogen/carbon/oxygen in water Erosion of natural deposits, surface water treatment process residue Runoff/leaching from natural deposits; industrial waste Leaching from natural deposits; industrial waste Leaching from natural deposits Naturally-occurring organic materials Leaching from natural deposits Naturally-occurring organic materials Leaching from natural deposits Naturally-occurring organic materials	

SECONDARY STANDARDS MONITORED IN THE DISTRIBUTION SYSTEM-FOR AESTHETIC PURPOSES							
GENERAL	DISTRIBUTION SYSTEM		SECONDARY	MCLG			
PHYSICAL CONSTITUENTS	AVERAGE	RANGE	MCL	or PHG			
Color (color units)	<3.0	ND - <3.0	15	-	Naturally-occurring organic materials		
Odor (threshold odor number)	1.0	1.0	3	-	Naturally-occurring organic materials		
Turbidity (NTU)	0.2	ND - 0.4	5	-	Soil runoff		

5

ND

Sampled in 2020-2022 (b)		GROUN	DWATER	MWD'S SURFACE WATER		
		AVERAGE	RANGE	AVERAGE	RANGE	
Alkalinity (mg/l)		182.5	160 - 200	126.5	125 - 128	
Boron (µg/l)		NA	NA	135	130 - 140	
Calcium (mg/l)		93.5	70 - 111	69	66 - 71	
1,4-Dioxane (ug/l)	(i)	1.4	1.1 - 1.7	ND	ND	
Magnesium (mg/l)		18.1	15 - 20	25.5	24 - 26	
pH (standard unit)		7.2	6.9 - 7.6	8.1	8.1	
Potassium (mg/l)		5.0	4.7 - 5.2	4.6	4.4 - 4.8	
Sodium (mg/l)	(MCL=None)	71.3	66 - 79	99	95 - 103	
Total Hardness (mg/l)	(MCL=None)	309.0	240 - 359	278	275 - 281	

0.3

ND - 1.1

ND

Turbidity (NTU)

Sampled in 2022						
PERFLUORODECANOIC ACID (PFDA) (ng/l)	0.2	ND - 1.9	ND	ND		
PERFLUOROBUTANESULFONIC ACID (PFBS) (ng/l) NL=500 ng/l	7.75	6.6 - 9.3	ND	ND		
PERFLUOROHEPTANOIC ACID (PFHpA) (ng/l)	1.41	ND - 3.2	ND	ND		
PERFLUOROHEXANE SULFONIC ACID (PFHxS) (ng/l) NL=3 ng/l	5.32	3.7 - 6.5	ND	ND		
PERFLUOROHEXANOIC ACID (PFHxA) (ng/l)	4.58	2.7 - 11	ND	ND		
PERFLUORONONANOIC ACID (PFNA) (ng/l)	2.56	2.3 - 2.9	ND	ND		
PERFLUOROOCTANE SULFONIC ACID (PFOS) (ng/l) NL=6.5 ng/l	29.15	20 - 40	ND	ND		
PERFLUOROOCTANOIC ACID (PFOA) (ng/l) NL=5.1 ng/l	11.25	8.6 - 14	ND	ND		
Perfluoropentanoic acid (PFPeA) (ng/l)	NA	NA	1.0	ND - 2.0		

FOOTNOTES

Soil runoff

(a) Over 50 regulated and unregulated **organic** chemicals were analyzed. None were detected at or above the reporting limit in the groundwater sources.

(b) Indicates dates sampled for groundwater sources only.

(c) California Public Health Goal (PHG). Other advisory levels listed in this column are Federal Maximum Contaminant Level Goals (MCLGs)

(d) Running annual average used to calculate average, range, and MCL compliance.

(e) Maximum Residual Disinfectant Level (MRDL)

(f) Maximum Residual Disinfectant Level Goal (MRDLG)

(g) 90th percentile from the most recent sampling at selected customer taps.

(h) Combined Radium 226 + Radium 228 has a Maximum Contaminant Level (MCL) of 5 pCi/L.

(i) The Notification Level of 1 ug/l for 1,4-Dioxane was exceeded in two wells in 2022. Some people who use water containing 1,4-dioxane in excess of the Notification Level over many years may experience liver or kidney problems and may have an increased risk of getting cancer, based on studies in laboratory animals.

(j) Lead Sampling in Schools: Recent events in the United States have shown that lead in drinking water remains an on-going public health concern, particularly for children. Lead rarely occurs naturally in California's drinking water sources, but may become present when water passes through older plumbing fixtures or solder containing lead that connects plumbing. In 2022, there we no schools in the service area that requested lead sampling at their school. (k) Aluminum has primary and secondary standards.

(I) While your drinking water meets the federal and state standard for arsenic, fluoride, and nitrate, low levels were detected. The levels detected are below the maximum contaminant levels (MCLs)

Notification of PFOA/PFOS: PFOA and PFOS are manmade fluorinated organic chemicals that are part of a larger group of chemicals referred to as per- and poly-fluoroalkyl substances (PFASs). These substances have been synthesized for water and lipid resistance and have been used extensively in consumer products such as carpets, clothing, fabrics for furniture, paper packaging for food, and other materials (e.g., cookware) designed to be waterproof, stain-resistant or non-stick. In addition, they have been used in fire-retarding foam and various industrial processes. The U.S. EPA has not established enforceable drinking water standards, called maximum contaminant levels, for these chemicals.

In May 2016, the United States Environmental Protection Agency (U.S. EPA) issued a lifetime health advisory for PFOS and PFOA for drinking water, advising municipalities that they should notify their customers of the presence of levels over 70 parts per trillion (PPT) or nanograms per liter (NG/) in community water supplies. In August 2019, State Water Resources Control Board, Division of Drinking Water (DDW), revised the notification levels to 6.5 ppt for PFOS and 5.1 ppt for PFOA. The single health advisory response level (for the combined values of PFOS and PFOA) remained at 70 ppt. Perfluorobutane sulfonic acid [PFBS] has a notification level of 500 ng/L (ppt). PFHxS - Perfluorobexane Sulfonic Acid is part of the group of Perfluorochemicals (PFCs). On February 6, 2020, DDW issued updated drinking water response levels of 10 ppt for PFOA and 40 ppt for PFOS based on a running four-quarter average.

Exposure to PFOA and PFOS over certain levels may result in adverse health effects, including developmental effects to fetuses during pregnancy or to breastfed infants (e.g., low birth weight, accelerated puberty, skeletal variations), cancer (e.g., testicular, kidney), liver effects (e.g., tissue damage), immune effects (e.g., antibody production and immunity), thyroid effects and other effects (e.g., cholesterol changes). PFHxS - Perfluorohexane Sulfonic Acid is part of the group of Perfluorochemicals (PFCs). PFHxS, PFOS and PFOA share similar chemical strucutre and uses (i.e, surface treatment agents for textiles, paper, and furniture etc. for its excellent waterproofing and oil-resistance performance). PFHxS have been detected in endangered species and the human blood of the general population and the response level for PFHxS is 20 ng/L. For information on PFOA, PFOS, and other PFAS, including possible health outcomes, you may visit these websites: https://www.epa.gov/pfas.

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER - Availability of Monitoring Data for Unregulated Contaminants for LaHabra Heights County Water District Our System has sampled for a series of unregulated contaminants. Unregulated contaminants are those that don't yet have a drinking water standard set by EPA. The purpose of monitoring for these contaminants is to help EPA decide whether the contaminants should have a standard. As our customer, you have a right to know that these data are available. If you are interested in examining the results, please contact Michael Gualtieri at 562-697-6769 or 1271 North Hacienda Road, LaHabra Heights, CA 90631. This notice is being sent to you by LaHabra Heights County Water District. State System ID# 1910210.

ABBREVIATIONS

< = less than

mg/I = milligrams per liter or parts per million (equivalent to 1 drop in 42 gallons)NA = constituent not analyzedNTU = nephelometric turbidity unitspCi/I = picoCuries per liter (a measure of radiation)SI = saturation indexuS/cm = microSiemens per centimeter

ND = constituent not detected at the testing limit **ng/l** = nanograms per liter or parts per trillion (equivalent to 1 drop in 42,000,000 gallons) **μg/l** = micrograms per liter or parts per billion (equivalent to 1 drop in 42,000 gallons)

DEFINITIONS

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDLGs are set by the U.S. Environmental Protection Agency.

Notification Level: The level at which notification of the public water system governing body is required. A health-based advisory level for an unregulated contaminant.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency. Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Primary Drinking Water Standard (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements. Secondary Drinking Water Standard (SDWS): MCLs and MRDLs for contaminants that affect the aesthetic qualities (taste, odor, or appearance) of drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Variances & Exemptions: State Water Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

LA HABRA HEIGHTS COUNTY WATER DISTRICT 1271 NORTH HACIENDA ROAD LA HABRA HEIGHTS, CA 90631

2022 CONSUMER CONFIDENCE REPORT LA HABRA HEIGHTS COUNTY WATER DISTRICT

assistance in your language. contact LaHabra Heights County Water District at (562) 697-6769 for This report contains important information about your drinking water. Please

a (562) 697-6769 para asistirlo en español. para beber. Favor de comunicarse La Habrá Heights Water District Spanish Este informe contiene información muy importante sobre su agua

他人为你翻译及解释清楚。

此份有关你的食水报告,内有重要资料和讯息,请找

District 以我得中文中帮我以 for (562) 697-6769 地址和电话联系 LaHabra Heights County Water ninsbnsM baitilqmiZ 不以用箭。息所要重的水用对闭惑干关育含告뫴份炎

この情報は重要です。 翻訳を依頼してください。

Xin nhờ người dịch cho quý vị. Chi tiết này thật quan trọng.

LaHabra Heights County Water District, (562) 697-6769 로 문의 하시기 바랍니다. 포함하고 있습니다. 한국어로 된 도움을 원하시면 이 귝고서는 당신의 식수에 관한 중요한 정보를



Korean